

Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

		County: Navarro								
State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -			
3345602										
	4/29/19	68 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		695				
3345901										
	4/29/19	68 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		1440				
3346701										
	4/26/19	68 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		105				
3346707										
	9 / 16 / 19	93 1	00010	TEMPERATURE, WATER (CELSIUS)		20.5				
	10 / 9 / 19	97 1	00010	TEMPERATURE, WATER (CELSIUS)		21.4				
	10 / 23 / 20	01 1	00010	TEMPERATURE, WATER (CELSIUS)		21.5				
	9/16/19	93 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		203.9				
	10 / 9 / 19	97 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-003.1				
	9 / 16 / 19	93 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.02				
	10 / 9 / 19	97 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05				
	9/16/19	93 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)		0.01				
	9/16/19	93 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		2.84				
	9/16/19	93 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3				
	10 / 9 / 19	97 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5				
	10 / 9 / 19	97 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		2.3				
	10 / 23 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		2.22				
	10 / 9 / 19	97 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.12				
	9/16/19	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0				
	10 / 9 / 19	97 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2				
	10 / 23 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2				
	9/16/19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		130.				

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	10 / 9 / 19	97 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		104.5
	10 / 23 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		99.9
	10 / 9 / 19	97 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2
	10 / 23 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	10 / 9 / 19	97 1	01020	BORON, DISSOLVED (UG/L AS B)		43.6
	10 / 23 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)	<	51
	9/16/19	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	10 / 9 / 19	97 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	10 / 23 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	9/16/19	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	10 / 9 / 19	97 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		30.4
	10 / 23 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	10 / 9 / 19	97 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	10 / 23 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	9/16/19	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	10 / 9 / 19	97 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.4
	10 / 23 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.40
	9/16/19	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		199.
	10 / 9 / 19	97 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10
	10 / 23 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		57.5
	9/16/19	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	10 / 9 / 19	97 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 23 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	9/16/19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	0.5
	10 / 9 / 19	97 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		1.3
	10 / 23 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		14.6
	10 / 9 / 19	97 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 23 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 9 / 19	97 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.1

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 23 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	10 / 9 / 199	97 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		7.7	
	10 / 23 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		4.00	
	9/16/199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	10 / 9 / 199	97 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		647.2	
	10 / 23 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		668	
	10 / 9 / 199	97 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		15.4	
	10 / 23 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		5.84	
	9/16/199	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		5.6	
	10 / 9 / 199	97 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		22.3	
	10 / 23 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	10 / 9 / 199	97 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 23 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 9 / 199	97 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	10 / 23 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		19.0	
	10 / 9 / 199	97 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		31.8	
	10 / 23 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.9	
	9/16/199	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	10 / 9 / 199	97 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	
	10 / 23 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	9/16/199	93 1	01503	ALPHA, DISSOLVED (PC/L)		3.3	2.1
	9/16/199	93 1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	9/16/199	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		364.	
	10 / 9 / 199	97 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		290.0	
	10 / 23 / 200	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		282.0	
	10 / 9 / 199	97 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	10 / 23 / 200	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.167	
	9/16/199	93 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	

State Well Number	Date S	Sample#	Storet Code	Description	Flag Value + or -
	5 / 15 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	81
3351901					
	5 / 14 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	88
3351902					
	7 / 3 /1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	164
3352701					
	5 / 14 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1110
3352801					
	11 / 0 / 1956	5 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	28
	11 / 2 / 1956	5 1	01045	IRON, TOTAL (UG/L AS FE)	4000.
	7 / 5 / 1961	1 1	01045	IRON, TOTAL (UG/L AS FE)	220.
	7 / 5 / 1961	1 1	01046	IRON, DISSOLVED (UG/L AS FE)	< 10.
	11 / 2 / 1956	5 1	01055	MANGANESE, TOTAL (UG/L AS MN)	< 50.
3352802					
	2 / 22 / 1944	1 1	01045	IRON, TOTAL (UG/L AS FE)	320.
3352803					
	5 / 10 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	166
3352901					
	7 / 4 /1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	79
3353101					
	4/30/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	202
3353102					
	5 / 1 /1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	77
3353201					
	4/30/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	480
3353401					
	5 / 1 /1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	143
3353602					

State Well Number	Date S	Sample#	Storet Code	Description	Flag Value + or -
	2 / 7 / 1968	3 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)	0.06
	2 / 7 / 1968	3 1	01020	BORON, DISSOLVED (UG/L AS B)	4800.
	7 / 10 / 1962	. 1	01045	IRON, TOTAL (UG/L AS FE)	700.
	2 / 7 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	20.
	2 / 7 / 1968	3 1	01055	MANGANESE, TOTAL (UG/L AS MN)	< 10.
3353603					
	2 / 7 / 1968	3 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)	0.6
	2 / 7 / 1968	3 1	01020	BORON, DISSOLVED (UG/L AS B)	5600.
	2 / 7 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	90.
	2 / 7 / 1968	3 1	01055	MANGANESE, TOTAL (UG/L AS MN)	< 10.
3353604					
	4 / 23 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	40
3353701					
	5 / 1 /1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1020
3354302					
	4/16/1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	30.
3354401					
	4 / 23 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	128
3354501					
	4/11/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	114
3354502					
	4 / 15 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	180
3354602					
	4 / 11 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	1080
3354701	, ,			, ,	
330 1701	4 / 15 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	180
3354702	. 15 1900		00700	11113.1255, 1011B (MG/B/B) 0.1005)	100
333T102	4/18/1968	3 1	00900	HADDNESS TOTAL (MG/LAS CACO3)	480
	4 / 18 / 1968) 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	480

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
3354703						
	4/18/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		140
3354803						
	4 / 9 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		188
3354804						
	4 / 18 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		480
3355101						
	4/16/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		140
3355401						
	4/10/1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		438
3355402						
	4 / 10 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		276
3355403						
	4 / 11 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		480
3355501						
	4 / 10 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)		30.
3355801						
	2 / 16 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		190
3358501						
	9 / 16 / 1993	3 1	00010	TEMPERATURE, WATER (CELSIUS)		33.9
	10 / 23 / 2001	l 1	00010	TEMPERATURE, WATER (CELSIUS)		31.6
	9 / 16 / 1993	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-52.6
	9 / 16 / 1993	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.44
	9 / 16 / 1993	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	9 / 16 / 1993	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.02
	9 / 16 / 1993	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		1.9
	10 / 23 / 2001	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02
	9 / 16 / 1993	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	4.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 23 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2
	9/16/19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		20.2
	10 / 23 / 20	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		12.3
	10 / 23 / 20	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	7/18/19	68 1	01020	BORON, DISSOLVED (UG/L AS B)		4500.
	10 / 23 / 20	01 1	01020	BORON, DISSOLVED (UG/L AS B)		4520
	9/16/19	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	10 / 23 / 20	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	9/16/19	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	10 / 23 / 20	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.15
	10 / 23 / 20	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	9/16/19	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	2.0
	10 / 23 / 20	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)		7.74
	2/21/19	44 1	01045	IRON, TOTAL (UG/L AS FE)		30.
	9 / 0 / 19:	58 1	01045	IRON, TOTAL (UG/L AS FE)		100.
	7/18/19	68 1	01045	IRON, TOTAL (UG/L AS FE)	<	10.
	6/1/19	69 1	01045	IRON, TOTAL (UG/L AS FE)	<	100.
	9/16/19	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		99.2
	10 / 23 / 20	01 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51
	9/16/19	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	10 / 23 / 20	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	7 / 18 / 19	68 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.
	6/1/19	69 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	9/16/19	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.3
	10 / 23 / 20	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		13.1
	10 / 23 / 20	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 23 / 20	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.22
	10 / 23 / 20	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1
	9/16/19	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value +
	10 / 23 / 200)1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		287
	10 / 23 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1
	9/16/199	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0
	10 / 23 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4
	10 / 23 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	10 / 23 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	10 / 23 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		61.3
	9/16/199	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0
	10 / 23 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4
	9/16/199	93 1	01503	ALPHA, DISSOLVED (PC/L)	<	6.0
	9/16/199	93 1	03503	BETA, DISSOLVED (PC/L)	<	5.0
	9/16/199	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		642
	10 / 23 / 200	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		674.0
	10 / 23 / 200	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.412
	9/16/199	93 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13
	9/16/199	93 1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		3.
3358503						
	9 / 29 / 199	94 1	00010	TEMPERATURE, WATER (CELSIUS)		34
	8 / 12 / 201	1 1	00010	TEMPERATURE, WATER (CELSIUS)		28.6
	9 / 29 / 199	94 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-139.6
	9 / 29 / 199	94 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		1.65
	9 / 29 / 199	94 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01
	9 / 29 / 199	94 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.01
	9 / 29 / 199	94 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		2.0
	8 / 12 / 201	1 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.038
	8 / 12 / 201	1 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.091
	9 / 29 / 199	94 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0
	8 / 12 / 201	1 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0
	9 / 29 / 199	94 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		11.7

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	8 / 12 / 201	.1 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		16.2
	9 / 29 / 199	94 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2.0
	8 / 12 / 201	.1 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.0
	8 / 12 / 201	.1 1	01020	BORON, DISSOLVED (UG/L AS B)		4520
	9 / 29 / 199	94 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	0.5
	8 / 12 / 201	1 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	9 / 29 / 199	94 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	10.0
	8 / 12 / 201	1 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		22.8
	9 / 29 / 199	94 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	10.0
	8 / 12 / 201	.1 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.0
	9 / 29 / 199	94 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	4.0
	8 / 12 / 201	.1 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.7
	8 / 18 / 197	73 1	01045	IRON, TOTAL (UG/L AS FE)	<	100.
	2 / 25 / 197	75 1	01045	IRON, TOTAL (UG/L AS FE)	<	100.
	2/26/197	76 1	01045	IRON, TOTAL (UG/L AS FE)		180.
	9 / 29 / 199	94 1	01046	IRON, DISSOLVED (UG/L AS FE)		20.0
	8 / 12 / 201	1 1	01046	IRON, DISSOLVED (UG/L AS FE)		90
	9 / 29 / 199	94 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	8 / 12 / 201	1 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.0
	8 / 18 / 197	3 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	2 / 25 / 197	75 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	2/26/197	76 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.
	9 / 29 / 199	94 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.0
	8 / 12 / 201	.1 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		16.2
	9 / 29 / 199	94 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	2.0
	8 / 12 / 201	1 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.0
	9 / 29 / 199	94 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	50.
	8 / 12 / 201	.1 1	01060	MOLYBDENUM, DISSOLVED, UG/L		4.1
	9 / 29 / 199	94 1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	10.0

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	9 / 29 / 199	4 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.0	
	8 / 12 / 201	1 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0	
	8 / 12 / 201	1 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		298	
	9 / 29 / 199	94 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	10.0	
	8 / 12 / 201	1 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		6.3	
	9 / 29 / 199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	10.0	
	8 / 12 / 201	1 1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.0	
	9 / 29 / 199	94 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	2.0	
	8 / 12 / 201	1 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.0	
	9 / 29 / 199	4 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	20.0	
	8 / 12 / 201	1 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		9.6	
	9 / 29 / 199	4 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		54.	
	8 / 12 / 201	1 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		66.3	
	9 / 29 / 199	4 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	8 / 12 / 201	1 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	9 / 29 / 199	4 1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	8 / 12 / 201	1 1	01503	ALPHA, DISSOLVED (PC/L)	<	16.3	8.3
	9 / 29 / 199	4 1	03503	BETA, DISSOLVED (PC/L)	<	4.3	
	8 / 12 / 201	1 1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		0.44	0.18
	8 / 12 / 201	1 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0	
	9 / 29 / 199	4 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		672	
	8 / 12 / 201	1 1	50938	ANION/CATION CHG BAL, PERCENT		1.19	
	9 / 29 / 199	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.58	
	8 / 12 / 201	1 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.48	
	9 / 29 / 199	94 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
	8 / 12 / 201	1 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	8 / 12 / 201	1 1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		2.1	0.7
3358602							
	6 / 6 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		91	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or
3358801							
	6 / 5 / 196	8 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		230	
3359101							
	2/21/194	4 1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	6 / 0 / 195	9 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
3359102							
	2 / 9 / 196	8 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.00	
	2/9/196	8 1	01020	BORON, DISSOLVED (UG/L AS B)		7400	
	10 / 27 / 196	6 1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	2/9/196	8 1	01045	IRON, TOTAL (UG/L AS FE)		430.	
	7 / 7 / 197	6 1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	2/9/196	8 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.	
3359104							
	5 / 15 / 196	8 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		55	
3359105							
	5 / 15 / 196	8 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		134	
3359106							
	10 / 21 / 199	3 1	00010	TEMPERATURE, WATER (CELSIUS)		18.2	
	10 / 21 / 199	3 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		106.0	
	10 / 21 / 199	3 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.01	
	10 / 21 / 199	3 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	10 / 21 / 199	3 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.89	
	10 / 21 / 199	3 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.3	
	10 / 21 / 199	3 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.0	
	10 / 21 / 199	3 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		136.	
	10 / 21 / 199	3 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	10 / 21 / 199	3 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	10 / 21 / 199	3 1	01040	COPPER, DISSOLVED (UG/L AS CU)		6.4	
	10 / 21 / 199	3 1	01046	IRON, DISSOLVED (UG/L AS FE)		9.3	

State Well Number	Date Sa	ample#	Storet Code	Description	Flag	Value	+ or -
	10 / 21 / 1993	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0	
	10 / 21 / 1993	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		23.7	
	10 / 21 / 1993	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	10.	
	10 / 21 / 1993	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	5.0	
	10 / 21 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.0	
	10 / 21 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)		4.6	2.8
	10 / 21 / 1993	1	03503	BETA, DISSOLVED (PC/L)	<	7.0	
	10 / 21 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
3359201							
	5 / 16 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		835	
3359203							
	7 / 3 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		168	
3359301							
	1 / 26 / 1968	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.00	
	1 / 26 / 1968	1	01020	BORON, DISSOLVED (UG/L AS B)		5700.	
	6 / 0 / 1959	1	01045	IRON, TOTAL (UG/L AS FE)		240.	
	12 / 12 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	1/26/1968	1	01045	IRON, TOTAL (UG/L AS FE)		5800.	
	6 / 0 /1959	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	12 / 12 / 1964	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	1/26/1968	1	01055	MANGANESE, TOTAL (UG/L AS MN)		100.	
3359302							
	2 / 22 / 1944	1	01045	IRON, TOTAL (UG/L AS FE)		140.	
3359303							
	5 / 15 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		274	
3359701							
	6 / 7 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		1010	
3359801	•						
	5 / 17 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		168	

State Well Number	Date	Sample#	Storet Code	Description	Flag Value + or -
3360202					
	2/16/195	52 1	01045	IRON, TOTAL (UG/L AS FE)	100.
3360401					
	5 / 16 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	202
3360501					
	5 / 17 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	92
3360701					
	5 / 17 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	56
3360803					
	5 / 16 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	86
3360804			00000	WIDDING TOTAL AND ADDRESS.	2420
22,0001	5 / 16 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	3120
3360901	5 /22 /104	co 1	00000	HADDNESS TOTAL (MC/LAS CACO2)	78
3361102	5 / 23 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	78
3301102	5 / 1 /193	38 1	01045	IRON, TOTAL (UG/L AS FE)	120.
3361301	0 / 1 / 150	.0 1	01010		1201
	7 / 11 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	858
3361804					
	5 / 21 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	101
3361903					
	4 / 4 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	228
3361904					
	7 / 16 / 196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	207
3362201					
	3 / 27 / 196	58 1	01045	IRON, TOTAL (UG/L AS FE)	80.
	3 / 27 / 196	58 1	01055	MANGANESE, TOTAL (UG/L AS MN)	20.
3362202					

State Well Number	Date S	ample#	Storet Code	Description	Flag Value + or -
	3 / 27 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	950
3362203					
	3 / 27 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	260
3362501					
	5 / 3 /1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	252
3362902					
	4 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	224
3362903					
	4 / 5 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	120
3363202					
	3 / 28 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	256
3363501					
	3 / 22 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	31
3363803					
	3 / 25 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	228
3363901					
	3 / 18 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)	< 10.
	3 / 18 / 1968	1	01055	MANGANESE, TOTAL (UG/L AS MN)	< 10.
3364702					
	3 / 29 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	630
3902203					
	7 / 3 / 1968	1	01045	IRON, TOTAL (UG/L AS FE)	60.
3902301					
	7 / 3 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	172
3903601					
	5 / 24 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	124
3904201					
	5 / 24 / 1968	1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	244

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value +	or -
3904401							
	5 / 8 / 19	68 1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		0.09	
	5 / 8 / 19	68 1	01020	BORON, DISSOLVED (UG/L AS B)		7700.	
	3 / 1 / 19	57 1	01045	IRON, TOTAL (UG/L AS FE)		220.	
	6/29/19	61 1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	5 / 8 / 19	68 1	01045	IRON, TOTAL (UG/L AS FE)		1200.	
	6/29/19	61 1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
	3 / 1 / 19	57 1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
	5 / 8 / 19	68 1	01055	MANGANESE, TOTAL (UG/L AS MN)		30.	
3904502							
	9/16/19	93 1	00010	TEMPERATURE, WATER (CELSIUS)		20.4	
	10 / 9 / 19	97 1	00010	TEMPERATURE, WATER (CELSIUS)		21.5	
	10 / 23 / 20	01 1	00010	TEMPERATURE, WATER (CELSIUS)		22.2	
	9/16/19	93 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		132.4	
	10 / 9 / 19	97 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		012.6	
	9/16/19	93 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.02	
	10 / 9 / 19	97 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	9/16/19	93 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	9 / 0 / 19	93 1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		6.41	
	9/16/19	93 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.2	
	10 / 9 / 19	97 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.5	
	10 / 9 / 19	97 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		1.1	
	10 / 23 / 20	01 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.152	
	10 / 9 / 19	97 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.09	
	9 / 16 / 19	93 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		1.2	
	10 / 9 / 19	97 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	10 / 23 / 20	01 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	9/16/19	93 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		161.	
	10 / 9 / 19	97 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		124.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	10 / 23 / 200	01 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		142
	10 / 9 / 199	97 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	2
	10 / 23 / 200	01 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	10 / 9 / 199	97 1	01020	BORON, DISSOLVED (UG/L AS B)		84.8
	10 / 23 / 200	01 1	01020	BORON, DISSOLVED (UG/L AS B)		86.7
	9/16/199	93 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0
	10 / 9 / 199	97 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	10 / 23 / 200	01 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	9/16/199	93 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0
	10 / 9 / 199	97 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		26.1
	10 / 23 / 200	01 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1
	10 / 9 / 199	97 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	10 / 23 / 200	01 1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1
	9/16/199	93 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.6
	10 / 9 / 199	97 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.8
	10 / 23 / 200	01 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1
	9/16/199	93 1	01046	IRON, DISSOLVED (UG/L AS FE)		24.3
	10 / 9 / 199	97 1	01046	IRON, DISSOLVED (UG/L AS FE)		16
	10 / 23 / 200	01 1	01046	IRON, DISSOLVED (UG/L AS FE)		9660
	9 / 16 / 199	93 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	5.0
	10 / 9 / 199	97 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	10 / 23 / 200	01 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1
	9 / 16 / 199	93 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)	<	0.5
	10 / 9 / 199	97 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		6
	10 / 23 / 200	01 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		203
	10 / 9 / 199	97 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 23 / 200	01 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	10 / 9 / 199	97 1	01060	MOLYBDENUM, DISSOLVED, UG/L		1.1
	10 / 23 / 200	01 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	10 / 9 / 199	97 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		4.6	
	10 / 23 / 200	01 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.33	
	9/16/199	93 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	10 / 9 / 199	97 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		455.5	
	10 / 23 / 200	01 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		589	
	10 / 9 / 199	97 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		7.2	
	10 / 23 / 200	01 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	9/16/199	93 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		418.	
	10 / 9 / 199	97 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		341.8	
	10 / 23 / 200	01 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		48.8	
	10 / 9 / 199	97 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 23 / 200	01 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 9 / 199	97 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	1	
	10 / 23 / 200	01 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	10 / 9 / 199	97 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.7	
	10 / 23 / 200	01 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		12.0	
	9/16/199	93 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	10 / 9 / 199	97 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5	
	10 / 23 / 200	01 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	9/16/199	93 1	01503	ALPHA, DISSOLVED (PC/L)	<	3.0	
	9/16/199	93 1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	9/16/199	93 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		245.	
	10 / 9 / 199	97 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		232.0	
	10 / 23 / 200	01 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		320.0	
	10 / 9 / 199	97 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.5	
	10 / 23 / 200	01 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.125	
	9/16/199	93 1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
3904601							
	5 / 9 / 190	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		6	

State Well Number	Date S	Sample#	Storet Code	Description	Flag Value + or
	5 / 9 / 1968	3 1	01020	BORON, DISSOLVED (UG/L AS B)	830.
	5 / 9 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	10.
	5 / 9 / 1968	3 1	01055	MANGANESE, TOTAL (UG/L AS MN)	30.
3904604					
	7 / 5 / 196	1 1	01045	IRON, TOTAL (UG/L AS FE)	1200.
3904801					
	5 / 28 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	815
3905102					
	5 / 20 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	32
3905103					
	5 / 23 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	1100.
3905104					
	5 / 23 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	210
	5 / 23 / 1968	3 1	01045	IRON, TOTAL (UG/L AS FE)	60.
3905304					
	4 / 25 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	94
3905502					
	5 / 3 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	655
3906102					
	4 / 8 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	74
3906201					
	4 / 24 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	170
3906401					
	7 / 6 / 1970	5 1	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	0.72
3906601					
	5 / 2 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	325
3907103					
	4 / 2 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)	522

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
3907302						
	4/2/196	58 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		1140
3907406						
	4/18/199	94 1	00300	OXYGEN, DISSOLVED (MG/L)		0.1
	4/18/199	94 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.130
	4/18/199	94 1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.010
	4/18/199	94 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.20
	4/18/199	94 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.050
	4/18/199	94 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.150
	4/18/199	94 1	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	<	0.010
	4/18/199	94 1	00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)		0.8
	4/18/199	94 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		2.
	4/18/199	94 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		75.
	4/18/199	94 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	.5
	4/18/199	94 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.0
	4/18/199	94 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		3.
	4/18/199	94 1	01035	COBALT, DISSOLVED (UG/L AS CO)		7.
	4/18/199	94 1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.
	4/18/199	94 1	01046	IRON, DISSOLVED (UG/L AS FE)		17000.
	4/18/199	94 1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.
	4/18/199	94 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		570.
	4/18/199	94 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.
	4/18/199	94 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		14.
	4/18/199	94 1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.0
	4/18/199	94 1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	6.
	4/18/199	94 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		34.
	4/18/199	94 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.
	4/18/199	94 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.
	4/18/199	94 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1.

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or -
	4/18/19	94 1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.0
	4/18/19	94 1	32101	BROMODICHLOROMETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	32102	CARBON TETRACHLORIDE, TOTAL, UG/L	<	.2
	4/18/19	94 1	32103	1,2-DICHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	32104	BROMOFORM, TOTAL, UG/L	<	.2
	4/18/19	94 1	32105	DIBROMOCHLOROMETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	32106	CHLOROFORM, TOTAL, UG/L	<	.2
	4/18/19	94 1	32730	PHENOLS, TOTAL (UG/L)	<	1.
	4/18/19	94 1	34010	TOLUENE IN WTR SMPL GC-MS, HEXADONE EXTR. (UGL/)	<	.2
	4/18/19	94 1	34030	BENZENE IN WTR SMPL GC-MS, HEXADECONE EXTR.(UG/L)	<	.2
	4/18/19	94 1	34301	CHLOROBENZENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34311	CHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34414	METHYL BROMIDE, DISSOLVED UG/L	<	.2
	4/18/19	94 1	34418	METHYL CHLORIDE, TOTAL (UG/L)	<	.2
	4/18/19	94 1	34423	METHYLENE CHLORIDE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34476	TETRACHLOROETHYLENE, DISSOLVED, UG/L	<	.2
	4/18/19	94 1	34488	TRICHLOROFLUOROMETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34496	1,1-DICHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34501	1,1-DICHLOROETHYLENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34506	1,1,1-TRICHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34511	1,1,2-TRICHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34516	1,1,2,2-TETRACHLOROETHANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34536	1,2-DICHLOROBENZENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34541	1,2-DICHLOROPROPANE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34546	TRANS-1,2-DICHLOROETHENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34561	1,3-DICHLOROPROPENE IN WHOLE WATER SAMPLE, UG/L	<	.2
	4/18/19	94 1	34566	1,3-DICHLOROBENZENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34571	1,4-DICHLOROBENZENE, TOTAL, UG/L	<	.2
	4/18/19	94 1	34576	2-CHLOROETHYL VINYL ETHER, TOTAL, UG/L	<	.2

tate Well Number	Date	Sample#	Storet Code	Description	Flag	Value + or
	4 / 18 / 199	4 1	34668	DICHLORODIFLUOROMETHANE, TOTAL, UG/L	<	.2
	4 / 18 / 199	4 1	34699	TRANS-1,3-DICHLOROPROPENE, TOTAL, UG/L	<	.2
	4 / 18 / 199	4 1	34704	CIS-1,3-DICHLOROPROPENE, TOTAL, UG/L	<	.2
	4/18/1994	4 1	38260	METHYLENE BLUE ACTIVE SUBSTANCE, MG/L	<	0.02
	4 / 18 / 199	4 1	39175	VINYL CHLORIDE, TOTAL, UG/L	<	.2
	4/18/199	4 1	39180	TRICHLOROETHYLENE, TOTAL, UG/L	<	.2
	4 / 18 / 199	4 1	39250	NAPHTHALENES, POLYCHLORINATED, TOTAL, UG/L	<	.1
	4 / 18 / 199	4 1	39516	PCBs, TOTAL, UG/L	<	.1
	4 / 18 / 199	4 1	70300	RESIDUE, TOTAL FILTERABLE (DRIED AT 180C), MG/L		319.
	4/18/199	4 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.38
	4 / 18 / 199	4 1	78113	ETHYLBENZENE IN WATER, UG/L	<	.2
	4 / 18 / 199	4 1	81551	XYLENE, TOTAL, UG/L	<	.2
	4 / 18 / 199	4 1	81708	STYRENE, TOTAL, MG/L	<	.2
3907407						
	3 / 27 / 199	8 1	00010	TEMPERATURE, WATER (CELSIUS)		20.6
	3 / 27 / 199	8 1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		-3.8
	3 / 27 / 199	8 1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.1
	3 / 27 / 199	8 1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.17
	3 / 27 / 199	8 1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05
	3 / 27 / 199	8 1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07
	3 / 27 / 199	8 1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	5
	3 / 27 / 199	8 1	01005	BARIUM, DISSOLVED (UG/L AS BA)		62.6
	3 / 27 / 199	8 1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1
	3 / 27 / 199	8 1	01020	BORON, DISSOLVED (UG/L AS B)		39.5
	3 / 27 / 199	8 1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1
	3 / 27 / 199	8 1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		6.4
	3 / 27 / 199	8 1	01035	COBALT, DISSOLVED (UG/L AS CO)		2.6
	3 / 27 / 199	8 1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.3
	3 / 27 / 1998	8 1	01046	IRON, DISSOLVED (UG/L AS FE)		13300

State Well Number	Date S	Sample#	Storet Code	Description	Flag	Value + or
	3 / 27 / 1998	3 1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.2
	3 / 27 / 1998	3 1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		506
	3 / 27 / 1998	3 1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1
	3 / 27 / 1998	3 1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1
	3 / 27 / 1998	3 1	01065	NICKEL, DISSOLVED (UG/L AS NI)		8.6
	3 / 27 / 1998	3 1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		227
	3 / 27 / 1998	3 1	01085	VANADIUM, DISSOLVED (UG/L AS V)		1.8
	3 / 27 / 1998	3 1	01090	ZINC, DISSOLVED (UG/L AS ZN)		269
	3 / 27 / 1998	3 1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1
	3 / 27 / 1998	3 1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4
	3 / 27 / 1998	3 1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		68.2
	3 / 27 / 1998	3 1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	5
	3 / 27 / 1998	3 1	39086	ALKALINITY, FIELD, DISSOLVED AS CACO3		87.0
	3 / 27 / 1998	3 1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.2
3912201						
	5 / 28 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		360
3913401						
	5 / 16 / 1968	3 1	00900	HARDNESS, TOTAL (MG/L AS CACO3)		378